LOCATION OF POLES ONLY). LIGHT POLES ARE NOT PERMITTED IN PARKING PENINSULAS, ISLANDS AND MEDIANS WITHOUT THE PRIOR APPROVAL OF THE COUNTY ARBORIST. 20' MINIMUM SPACING IS REQUIRED BETWEEN THE TRUNK OF ANY PROPOSED OVER-STORY HARDWOOD TREE (OR EXISTING TREE COUNTED FOR TREE ORDINANCE CREDIT) AND ANY EXISTING OR PROPOSED LIGHT POLE. IF THE SERVICE PROVIDER (ELECTRIC COMPANY) PRODUCES A LIGHTING PLAN, IT MUST ADHERE TO THE LIGHTING PLAN SHOWN IN THE CIVIL ENGINEERING DRAWINGS PROVIDED BY COBB COUNTY FOR THE LAND DISTURBANCE PERMIT. IF A LIGHTING PLAN IS NOT PART OF THE CIVIL DRAWINGS, THE LIGHTING PLAN DESIGNER MUST SUBMIT A PLAN TO THE ARBORIST/LANDSCAPE ARCHITECT FOR REVIEW AND APPROVAL. IF SITE LIGHTING IS INSTALLED WITHOUT AN APPROVED PLAN, THE CERTIFICATE OF OCCUPANCY WILL BE

LEGEND

	<u>· — </u>	
SYMBOL	CODE	ITEM
¥	LP	LIGHT POLE

NOTE

THIS LIGHTING PLAN IS PRELIMINARY AND MAY BE SUBJECT TO CHANGE BY A SUBSEQUENT DESIGNER. ANY SUBSEQUENT LIGHTING PLANS MUST ADHERE TO COBB COUNTY DEVELOPMENT STANDARD AND BE SUBMITTED TO THE COBB COUNTY SITE PLAN REVIEW SECTION FOR REVIEW AND APPROVAL PRIOR TO THE INSTALLATION OF ANY LIGHTS, POLES, OR WIRING.

LIGHTING NOTE

PROVIDE 20' MINIMUM SPACING BETWEEN THE TRUNKS OF ALL DECIDUOUS SHADE TREES & ANY EXISTING OR PROPOSED LIGHT POLES. PROVIDE GREATER SPACING WHERE POSSIBLE.

LGLND				
MBOL	CODE	<u>ITEM</u>	<u>QTY</u>	
×	LP	LIGHT POLE	20	



THE LANDSCAPE ARCHITECTURE STUDIO OF PLANNERS & ENGINEERS COLLABORATIVE

350 RESEARCH COURT PEACHTREE CORNERS,

GEORGIA 30092

O: 770.451.2741 PEC360STUDIO.COM

THIS DOCUMENT, ELECTRONIC AND REPRODUCTIONS, IS THE EXCLUSIVE PROPERTY OF 360 STUDIO AND IS NOT TO REPRODUCED OR COPIED WHOLE OR IN PART EXCEPT AS REQUIRED FOR THE PROJECT HEREIN, IT MAY NOT BE USED ON ANY OTHER PROJECT WITHOUT AN EXPRESSED WRITTEN AGREEMENT WITH 360 STUDIO

SPR-2021-00459 HAMPTON TRACE

1521 HURT RD MARIETTA, GA 30060

CITY OF MARIETTA COBB COUNTY,

LAND LOT 847 19TH DISTRICT

GEORGIA

TAYLOR MORRISON

4400 NORTH POINT PKWY SUITE 295 ALPHARETTA, GA 30022

CONTACT: BRIAN TAYLOR 770.741.0268

LDP SUBMITTAL

DRAWN BY: APPROVED BY:

21068.00



JANUARY 5, 2022

LIGHTING LAYOUT PLAN

